





DESIGNED FOR PERFORMANCE



The A Transporter range represents the ultimate evolution in trailer design. With a strong, durable galvanised chassis, low bed height and a range topping 3000kg gross capacity. A Transporter trailers are perfectly suited for vehicle recovery, professional transport and motorsport alike.

 $\textbf{A Transporter} \ \text{trailers are available with load bed lengths from 2.70m to 5.00m, in single or twin axle variants. All feature internally stored 'easy glide' ramps and$ a flush fitting centre deck.





A Transporter

High specification as standard



• Rear stands with foot pedal action Designed to compliment the 'easy glide' out ramps these spring loaded, foot operated support stands can be lowered or raised in seconds. Rear stands provide the dual function of load support when engaged and locking the ramps safely in position when towing.



• Easy glide, high grip ramps 1.90m (single axle models) and 2.40m (twin axle models) punched ramps pull out from the trailer bed in seconds.

'Easy-glide' rollers ensure the operation requires little effort.



O Wheel chocks, Professional Fully adjustable, quick release wheel chock system engages directly into the trailer chassis within seconds.

without straining suspension geometry. Easy to fit, with multiple built-in tie-down points.







O Fuel can storage Designed to carry either 1, 2 or 3 x 20ltr Jerry cans. Lockable, twin opening doors. A Transporters are available in Sargasso blue, Poppy red, Arcelor anthracite or Jet black body colour trim and the fuel storage locker can be colour matched to the trailer body.







load pressure auto braked, + 6 point adjustable pull positions.



O Manual winch + 3 point adjustable pull positions.





• Storage bed locker (front) Lockable front storage locker, with automatic lift lid.

Internal size: 425mm length, 90mm depth, width dependent on chassis load bed width.




O Alloy wheels A Transporters are also available with alloy wheels in standard Silver or diamond-cut Anthracite (Anthracite shown).


A TRANSPORTER • Standard. • Optional at extra cost.






A Transporter - Single axle technical information







A Transporter - Twin axle technical information



| A TRANSPORTER – SINGLE AXLE | | | | | A TRANSPORTER – TWIN AXLE | | | | | | | | |
|--|----------|----------|----------|----------|--|----------|----------|----------|----------|----------|----------|----------|----------|
| PRODUCT CODE | 125-1011 | 125-1111 | 125-1211 | 125-1312 | PRODUCT CODE | 125-2002 | 125-2112 | 125-2213 | 125-2223 | 125-2323 | 125-2324 | 125-2423 | 125-2424 |
| CAPACITY | CAPACITY | | | | | | | | | | | | |
| Gross kg | 1,500 | 1,500 | 1,500 | 1,500 | Gross kg | 2,000 | 2,000 | 2,600 | 2,600 | 2,600 | 3,000 | 2,600 | 3,000 |
| Load kg | 1,060 | 1,010 | 973 | 955 | Load kg | 1,445 | 1,388 | 1,970 | 1,955 | 1,930 | 2,320 | 1,905 | 2,295 |
| DIMENSIONS | | | | | DIMENSIONS | | | | | | | | |
| Load bed length m A | 2.70 | 3.20 | 3.70 | 4.00 | Load bed length m A | 3.30 | 3.70 | 4.00 | 4.00 | 4.50 | 4.50 | 5.00 | 5.00 |
| Internal bed width m B | 1.80 | 1.80 | 1.80 | 2.00 | Internal bed width m B | 1.70 | 1.80 | 1.80 | 2.00 | 2.00 | 2.00 | 2.00 | 2.00 |
| Overall trailer length m C | 4.24 | 4.74 | 5.24 | 5.54 | Overall trailer length m C | 4.68 | 5.24 | 5.54 | 5.54 | 6.04 | 6.04 | 6.54 | 6.54 |
| Overall trailer width m D | 2.18 | 2.18 | 2.18 | 2.38 | Overall trailer width m D | 2.08 | 2.18 | 2.18 | 2.38 | 2.38 | 2.38 | 2.38 | 2.38 |
| Bed load height m | 0.42 | 0.42 | 0.42 | 0.42 | Bed load height m | 0.42 | 0.42 | 0.42 | 0.42 | 0.42 | 0.42 | 0.42 | 0.42 |
| RUNNING GEAR | | | | | RUNNING GEAR | | | | | | | | |
| Wheel size | 12" | 12" | 12" | 12" | Wheel size | 12" | 12" | 12" | 12" | 12" | 12" | 12" | 12" |
| Axles | 1 | 1 | 1 | 1 | Axles | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Spare wheel | • | • | • | • | Spare wheel | • | • | • | • | • | • | • | • |
| Heavy duty jockey wheel | • | • | • | • | Heavy duty jockey wheel | • | • | • | • | • | • | • | • |
| Steel coupling head with integral high security lock | • | • | • | • | Steel coupling head with integral high security lock | • | • | • | • | • | • | • | • |
| RAMPS | | | | | RAMPS | | | | | | | | |
| High grip, glide out 1.90m E | • | • | • | • | High grip, glide out 2.40m E | • | • | • | • | • | • | • | • |
| WARRANTY | | | | | WARRANTY | | | | | | | | |
| 5 year chassis warranty | • | • | • | • | 5 year chassis warranty | • | • | • | • | • | • | • | • |





BRIAN JAMES TRAILERS

>>> Connected to you

Your official dealer:

ALSA REMORQUE - BRIAN JAMES ALSACE

22 route de Colmar 67600 Sélestat

Tél. 03 88 92 02 19 GSM 06 47 12 84 90

https://www.alsa-remorque.fr info@alsa-remorque.fr https://www.brianjamesalsace.fr brian.james.alsace@gmail.com

5 YEAR EXTENDED CHASSIS WARRANTY

All of our trailers come with a standard 1 year non-transferable manufacturer's warranty covering the integrity of the chassis, which can be extended to 5 years at no additional charge upon registration.

This 5 year extended warranty applies to the chassis only.

All other components are subject to a standard 1 year warranty, subject to fair wear and tear.

NOTES

All images used are for illustrative purposes only and may show non-standard equipment and finishes. All products are subject to change without prior notice due to our continous development programme.

Brian James Trailers Limited.Sopwith Way, Drayton Fields Industrial Estate Daventry, Northampton, NN11 8PB

Brian James Trailers are available by contacting your official dealer



THE QUEEN'S AWARDS FOR ENTERPRISE: INTERNATIONAL TRADE

Your official dealer:



© BRIAN JAMES TRAILERS LIMITED